


Check terminal for oscilloscope [Part number: LC-1-G, LC-1-S] (1000pcs/pack)


- The probe for oscilloscope can be hooked from any direction.
- You can maintain the height according to the convex portion.
- If you want to make the height lower, you can set it freely by making the fitting hole diameter larger(ϕ 1.4 or over).
- Material: Phosphor bronze: ϕ 0.5
- Finish: LC-1-G: Gold plating over nickel base
LC-1-S: Tin plating over nickel base
- Printed board fitting hole diameter: ϕ 1.2
- Operating temperature range: -40 to $+150^{\circ}\text{C}$



Check terminal for oscilloscope [Part number: LC-2-G, LC-2-S] (1000pcs/pack)

- The probe for oscilloscope can be hooked from any direction.
- With six types of glass beads color, you can classify the signal lines by using different colors.
- Material: Phosphor bronze: ϕ 0.4
- Finish: LC-2-G: Gold plating over nickel base
LC-2-S: Tin plating over nickel base
- Printed board fitting hole diameter: ϕ 1.0
- Operating temperature range: -40 to $+150^{\circ}\text{C}$
- Beads color type: black, greenish brown, green, sky blue, purple, white
- How to order: LC-2-G-brown


~~~~~  
↑  
Color designation



### Check terminal for oscilloscope [Part number: LC-22-G, LC-22-S] (1000pcs/pack)

- We offer five colors: red, orange, yellow, white and black.
- Material: Metal part: Phosphor bronze,  $\phi$  0.4  
Resin part: Fluorine (UL94V-0)
- Finish: LC-22-G: Gold plating over nickel base  
LC-22-S: Tin plating over nickel base
- Printed board fitting hole diameter:  $\phi$  1.0
- Operating temperature range:  $-40$  to  $+150^{\circ}\text{C}$
- Beads color type: red, orange, yellow, white, black
- How to order: LC-22-G- red


~~~~~  
↑
Color designation



Check terminal for oscilloscope [Part number: LC-3-G, LC-3-S] (1000pcs/pack)

- You can put it with a pitch of 2.54 mm.
- The probe for oscilloscope can be hooked from any direction.
- With six types of glass beads color, you can classify the signal lines by using different colors.
- Material: Phosphor bronze: ϕ 0.3
- Finish: LC-3-G: Gold plating over nickel base
LC-3-S: Tin plating over nickel base
- Printed board fitting hole diameter: ϕ 0.8
- Operating temperature range: -40 to $+150^{\circ}\text{C}$
- Beads color type: black, greenish brown, green, sky blue, purple, white
- How to order: LC-3-G- black

~~~~~  
↑  
Color designation




For Check

### Check terminal for oscilloscope [Part number: LC-33-G, LC-33-S] (1000pcs/pack)

- We offer five colors: red, orange, yellow, white and black.
- Material: Metal part: Phosphor bronze,  $\phi$  0.3  
Resin part: Fluorine (UL94V-0)
- Finish: LC-33-G: Gold plating over nickel base  
LC-33-S: Tin plating over nickel base
- Printed board fitting hole diameter:  $\phi$  0.8
- Operating temperature range:  $-40$  to  $+150^{\circ}\text{C}$
- Beads color type: red, orange, yellow, white, black
- How to order: LC-33-G- red

~~~~~  
↑
Color designation



Check terminal for ϕ 0.3 [Part number: LC-4-G, LC-4-S] (1000pcs/pack)

- This check terminal is developed for a land with small diameter (0.3 to 0.4 hole for upper and lower electrical connection)
- Material: Metal part: Phosphor bronze, ϕ 0.25.
Resin part: Fluorine (UL94V-0)
- Finish: LC-4-G: Gold plating over nickel base
LC-4-S: Tin plating over nickel base
- Printed board fitting hole diameter: 0.3 to 0.4
- Operating temperature range: -40 to $+150^{\circ}\text{C}$
- Beads color type: red, yellow, blue, white, black
- How to order: LC-4-G- red

~~~~~  
↑  
Color designation

