Bracket for fitting PC board M2 Type AX series M2 type (10pcs/pack)

- This is used for fitting a PC board to housing and for fitting on PC board to a PC board.
- As only the screw part is metal and other parts are resin, this product can minimize pattern escape of a PC board.
- Material Resin part: PBT black (UL94V-0) Metal part: Brass (Nickel plating)
- Insulation resistance \cdots 500M Ω or over
- Withdraw voltage 1000V AC, DC per minute
- Operating temperature range······ 40 to + 125℃





Part No.

Example of usage		e e
	000	0000
	2.51.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
Part No.	AXA-11-M2	AXH-16-M2


Bracket for fitting PC board


AX series (10pcs/pack)

- This is used for fitting a PC board to housing and for fitting a PC board to a PC board.
- As only the screw part is metal and other parts are resin, this product can minimize pattern escape of a PC board.
- Material Resin part: PBT black (UL94V-0) Metal part: Brass (Nickel plating)
- \bullet Insulation resistance: 500M Ω or over
- Withstand voltage: 1000V AC, DC per minute
- Operating temperature range: 40 to + 125°C



Part No.






Bracket for fitting PC board


AX series (10pcs/pack)

- This is used for fitting a PC board to housing and for fitting a PC board to a PC board.
- As only the screw part is metal and other parts are resin, this product can minimize pattern escape of a PC board.
- Material Resin part: PBT black (UL94V-0) Metal part: Brass (Nickel plating)
- \bullet Insulation resistance: 500M Ω or over
- Withstand voltage: 1000V AC, DC per minute




■ Part No.





Metal part



The part described above is the metal part. Please perform pattern escape.

• Pattern escape diameter: ϕ 7.0 or over